


一般会所本体




| 製品名 | H | A | T | B | C | D | E | F | G | I | J | 組立筋 | | | 参考重量 (kg) |
|---------|--------------|--------------|-----|------|------------|------|------|-----|-----|-----|-----|-------|--------|--------|-----------|
| | | | | | | | | | | | | 径 (φ) | 縦筋 (本) | 横筋 (本) | |
| 200 | 270 | 200 (170) | 30 | 300 | 25 (40) | 250 | 250 | 30 | 120 | 120 | 70 | 2.6 | 4 | 2 | 18 |
| " 底付 | 300 (270) | 200 (170) | 30 | 310 | 25 (40) | 250 | 250 | 30 | 120 | 120 | 60 | 2.6 | 4 | 2 | 22 |
| 240 | 360 | 240 | 35 | 335 | 25 | 290 | 280 | 40 | 150 | 150 | 80 | 2.6 | - | 2 | 22 |
| " ロング | 500 | 240 | 35 | 350 | 30 | 300 | 280 | 40 | 150 | 150 | 70 | 2.6 | - | 2 | 37 |
| 300 | 420 | 300 | 35 | 410 | 30 | 360 | 345 | 45 | 200 | 230 | 65 | 3.2 | - | 2 | 37 |
| " ロング | 600 | 300 | 35 | 410 | 30 | 360 | 345 | 45 | 200 | 230 | 105 | 3.2 | - | 2 | 53 |
| 350 | 490 | 350 | 40 | 480 | 35 | 420 | 410 | 60 | 250 | 290 | 65 | 4.0 | - | 2 | 57 |
| " ロング | 690 | 350 | 40 | 480 | 35 | 420 | 410 | 60 | 250 | 290 | 80 | 4.0 | - | 2 | 82 |
| 400 | 580 | 400 | 50 | 550 | 40 | 480 | 470 | 75 | 310 | 360 | 80 | 4.0 | - | 2 | 85 |
| " ロング | 820 | 400 | 50 | 550 | 40 | 480 | 470 | 75 | 310 | 360 | 75 | 4.0 | - | 2 | 124 |
| 450 | 680 | 450 | 60 | 620 | 45 | 540 | 540 | 100 | 360 | 420 | 80 | 3.2 | 12 | 4 | 130 |
| " ロング | 880 | 450 | 60 | 620 | 45 | 540 | 540 | 100 | 360 | 420 | 85 | 3.2 | 12 | 5 | 171 |
| 500 | 750 | 500 | 70 | 700 | 50 | 600 | 610 | 100 | 400 | 450 | 100 | 3.2 | 12 | 4 | 175 |
| " ロング | 1000 | 500 | 70 | 700 | 50 | 600 | 610 | 110 | 330 | 380 | 100 | 3.2 | 12 | 5 | 252 |
| 600 | 820 | 600 | 75 | 830 | 55 | 710 | 730 | 100 | 400 | 460 | 140 | 3.2 | 12 | 4 | 265 |
| " ロング | 1100 | 600 | 75 | 830 | 60 | 720 | 730 | 100 | 340 | 400 | 140 | 3.2 | 12 | 6 | 398 |
| 800 | 920 | 800 | 100 | 1120 | 80 | 960 | 960 | 125 | 540 | 590 | 70 | D10 | 4 | 2 | 561 |
| " ロング | 1220 | 800 | 100 | 1120 | 80 | 960 | 960 | 125 | 540 | 590 | 70 | D10 | 4 | 3 | 765 |
| ※ 1000 | 1200 | 1000 | 100 | 1340 | 80 | 1160 | 1210 | 130 | 700 | 800 | 105 | D10 | 4 | 3 | 915 |
| 1000改良型 | 1200 | 1000 | 100 | 1200 | 100 | 1200 | 1100 | - | 700 | 700 | 150 | D10 | 4 | 3 | 1026 |


※ 受注生産

20140115


一般会所蓋




200




500



240~450



600~1000




1000改良型

| 製品名 | T | A | B | C | D | E | F | G | 縦筋 | | 横筋 | | 参考重量 (kg) |
|----------------|-----|------|------|-----|-----|-----|----|-----|-------|--------|-------|--------|-----------|
| | | | | | | | | | 径 (φ) | 本数 (本) | 径 (φ) | 本数 (本) | |
| 200 蓋 | 30 | 240 | 230 | - | - | 25 | - | - | 2.6 | 3 | 2.6 | 2 | 3 |
| 240 " | 35 | 270 | 260 | - | - | 100 | 25 | 130 | 2.6 | 3 | 2.6 | 2 | 4 |
| 300 " | 35 | 335 | 325 | - | - | 100 | 25 | 160 | 2.6 | 3 | 2.6 | 2 | 8 |
| 350 " | 40 | 400 | 390 | - | - | 100 | 30 | 190 | 3.2 | 3 | 3.2 | 4 | 14 |
| 400 " | 50 | 460 | 440 | - | - | 100 | 30 | 220 | 3.2 | 3 | 3.2 | 4 | 22 |
| 450 " | 60 | 530 | 510 | - | - | 100 | 35 | 250 | 3.2 | 4 | 3.2 | 4 | 36 |
| 500 " (2枚) | 70 | 600 | 570 | 300 | 285 | 100 | 35 | - | 4 | 4 | 4 | 2 | 53 |
| 600 " (2枚) | 75 | 720 | 690 | 360 | 345 | 115 | 35 | 360 | 5 | 6 | 5 | 2 | 82 |
| 800 " (2枚) | 100 | 940 | 905 | 465 | 450 | 115 | 30 | 470 | 6 | 6 | 6 | 4 | 190 |
| ※ 1000 " (2枚) | 100 | 1200 | 1170 | 600 | 585 | 115 | 30 | 600 | 6 | 7 | 6 | 4 | 319 |
| 1000改良型 " (2枚) | 100 | 1090 | 1060 | 545 | 530 | 100 | - | 550 | 6 | 6 | D10 | 4 | 266 |


※ 受注生産

立上り会所・縁塊




| 製品名 | H | A1 | B1 | A2 | B2 | C | D | E | F | 参考重量 (kg) |
|---------|------|------|-----|------|-----|-----|-----|-----|-----|-----------|
| 300 | 400 | 300 | ← | 360 | ← | 30 | 170 | 200 | 100 | 33 |
| 350 | 500 | 350 | ← | 430 | ← | 40 | 260 | 300 | 100 | 62 |
| 400 | 600 | 400 | ← | 500 | ← | 50 | 280 | 320 | 100 | 110 |
| 450 | 400 | 450 | ← | 550 | ← | 50 | 240 | 280 | 60 | 75 |
| | 600 | 450 | ← | 550 | ← | 50 | 240 | 280 | 60 | 127 |
| 500 | 600 | 500 | ← | 600 | ← | 50 | 330 | 380 | 100 | 132 |
| | 400 | 600 | ← | 720 | ← | 60 | 280 | 240 | 80 | 146 |
| 600 | 600 | 600 | ← | 720 | ← | 60 | 340 | 400 | 100 | 160 |
| | 800 | 750 | ← | 890 | ← | 70 | 430 | 430 | 50 | 418 |
| 800 | 800 | 800 | ← | 960 | ← | 80 | 540 | 540 | 150 | 450 |
| | 1000 | 800 | ← | 960 | ← | 80 | 540 | 540 | 150 | 580 |
| 900 | 1000 | 900 | ← | 1060 | ← | 80 | 430 | 430 | 50 | 720 |
| 1000 | 1000 | 1000 | ← | 1200 | ← | 100 | 700 | 700 | 150 | 870 |
| 300×500 | 600 | 300 | 500 | 400 | 600 | 50 | 280 | 320 | | 124 |
| | 900 | 300 | 500 | 400 | 600 | 50 | 280 | 320 | | 186 |
| 350×500 | 500 | 350 | 500 | 450 | 600 | 50 | 280 | 320 | | 109 |

※ 寸法表以外の高さも受注生産可能です




斜線部蓋受



| 製品名 | H | A | T | B | C | E | 参考重量 (kg) |
|-----|-----|-----|----|-----|-----|-----|-----------|
| 300 | 100 | 300 | 35 | 410 | 55 | 345 | 17 |
| 350 | 100 | 350 | 40 | 480 | 65 | 410 | 22 |
| 400 | 100 | 400 | 50 | 550 | 75 | 470 | 29 |
| 450 | 150 | 450 | 60 | 620 | 85 | 540 | 54 |
| 500 | 150 | 500 | 70 | 700 | 100 | 610 | 70 |
| 600 | 150 | 600 | 75 | 830 | 115 | 730 | 91 |


立上り会所（調整枠）



| 製品名 | H | A1 | B1 | A2 | B2 | C | 参考重量 (kg) |
|------|-----|------|----|------|----|-----|-----------|
| 300 | 100 | 300 | ← | 360 | ← | 30 | 9 |
| | 200 | 300 | ← | 360 | ← | 30 | 18 |
| | 300 | 300 | ← | 360 | ← | 30 | 27 |
| 350 | 100 | 350 | ← | 430 | ← | 40 | 14 |
| | 200 | 350 | ← | 430 | ← | 40 | 29 |
| | 300 | 350 | ← | 430 | ← | 40 | 43 |
| 400 | 100 | 400 | ← | 500 | ← | 50 | 21 |
| | 200 | 400 | ← | 500 | ← | 50 | 41 |
| | 300 | 400 | ← | 500 | ← | 50 | 62 |
| 450 | 100 | 450 | ← | 550 | ← | 50 | 23 |
| | 200 | 450 | ← | 550 | ← | 50 | 46 |
| | 300 | 450 | ← | 550 | ← | 50 | 69 |
| 500 | 100 | 500 | ← | 600 | ← | 50 | 25 |
| | 200 | 500 | ← | 600 | ← | 50 | 51 |
| | 300 | 500 | ← | 600 | ← | 50 | 73 |
| 600 | 100 | 600 | ← | 720 | ← | 60 | 36 |
| | 200 | 600 | ← | 720 | ← | 60 | 73 |
| | 300 | 600 | ← | 720 | ← | 60 | 109 |
| 750 | 400 | 750 | ← | 890 | ← | 70 | 211 |
| | 600 | 750 | ← | 890 | ← | 70 | 317 |
| 800 | 100 | 800 | ← | 960 | ← | 80 | 65 |
| | 400 | 800 | ← | 960 | ← | 80 | 259 |
| | 600 | 800 | ← | 960 | ← | 80 | 389 |
| 900 | 300 | 900 | ← | 1060 | ← | 80 | 216 |
| | 600 | 900 | ← | 1060 | ← | 80 | 433 |
| 1000 | 400 | 1000 | ← | 1200 | ← | 100 | 405 |
| | 600 | 1000 | ← | 1200 | ← | 100 | 607 |
| | 800 | 1000 | ← | 1200 | ← | 100 | 810 |

※ 寸法表以外の高さも受注生産可能です


肉厚会所



※ 配筋D10 ~ @200
 ※ 枠打込、箱抜可

| 製品名 | H | C | A | B | D | E | F | G | 参考重量 (kg) |
|--------|---------|-----|------|------|-----|-----|-----|----|-----------|
| 200BOX | 300~600 | 100 | 200 | 400 | - | 160 | 160 | 70 | - |
| 250 | 500 | 100 | 250 | 450 | 50 | 220 | 280 | 70 | 140 |
| 300 | 300 | 100 | 300 | 500 | 50 | 280 | 220 | 70 | 90 |
| | 400 | 100 | 300 | 500 | 50 | 220 | 280 | 70 | 126 |
| | 500 | 100 | 300 | 500 | 50 | 220 | 280 | 70 | 162 |
| 350 | 700 | 100 | 300 | 500 | 50 | 260 | 310 | 70 | 232 |
| | 500 | 100 | 350 | 550 | 50 | 260 | 310 | 70 | 176 |
| 400 | 650 | 100 | 350 | 550 | 50 | 260 | 310 | 70 | 217 |
| | 500 | 100 | 400 | 600 | 50 | 260 | 310 | 70 | 266 |
| 450 | 800 | 100 | 400 | 600 | 50 | 260 | 310 | 70 | 335 |
| | 1000 | 100 | 400 | 600 | 50 | 260 | 310 | 70 | 450 |
| | 400 | 100 | 450 | 650 | 50 | 220 | 280 | 70 | 171 |
| 500 | 500 | 100 | 450 | 650 | 50 | 220 | 280 | 70 | 221 |
| | 600 | 100 | 450 | 650 | 50 | 220 | 280 | 70 | 272 |
| | 700 | 100 | 450 | 650 | 50 | 220 | 280 | 70 | 312 |
| | 800 | 100 | 450 | 650 | 50 | 260 | 310 | 70 | 360 |
| 600 | 600 | 100 | 500 | 700 | 50 | 260 | 310 | 70 | 324 |
| | 800 | 100 | 500 | 700 | 50 | 260 | 310 | 70 | 432 |
| | 1000 | 100 | 500 | 700 | 50 | 260 | 310 | 70 | 540 |
| 700 | 400 | 120 | 600 | 840 | 50 | 260 | 310 | 70 | 275 |
| | 500 | 120 | 600 | 840 | 50 | 260 | 310 | 70 | 353 |
| | 600 | 120 | 600 | 840 | 50 | 260 | 310 | 70 | 425 |
| | 700 | 120 | 600 | 840 | 50 | 260 | 310 | 70 | 497 |
| | 800 | 120 | 600 | 840 | 70 | 420 | 480 | 70 | 610 |
| | 900 | 120 | 600 | 840 | 70 | 420 | 480 | 70 | 685 |
| | 1000 | 120 | 600 | 840 | 70 | 420 | 480 | 70 | 760 |
| | 1100 | 120 | 600 | 840 | 70 | 420 | 480 | 70 | 800 |
| 800 | 1200 | 120 | 600 | 840 | 70 | 420 | 480 | 70 | 880 |
| | 800 | 150 | 700 | 1000 | 130 | 500 | 500 | 90 | 801 |
| 900 | 1000 | 150 | 700 | 1000 | 130 | 500 | 500 | 90 | 1036 |
| | 800 | 150 | 750 | 1050 | 70 | 420 | 480 | 90 | 880 |
| 1000 | 1000 | 150 | 750 | 1050 | 70 | 500 | 500 | 90 | 1135 |
| | 500 | 150 | 800 | 1100 | 40 | 480 | 420 | 90 | 570 |
| 1100 | 800 | 150 | 800 | 1100 | 130 | 500 | 500 | 90 | 930 |
| | 1000 | 150 | 800 | 1100 | 130 | 500 | 500 | 90 | 1192 |
| | 1000 | 150 | 900 | 1200 | 70 | 500 | 500 | 90 | 1310 |
| 1200 | 800 | 150 | 1000 | 1300 | 70 | 500 | 500 | 90 | 1182 |
| | 1000 | 150 | 1000 | 1300 | 70 | 550 | 550 | 90 | 1480 |

肉厚底付会所



- ※ 配筋D10 ~@200
- ※ 枠打込、箱抜可
- ※ 図は汚水用（雨水用はタイコ位置100mm上がる）

| 製品名 | H | C | A | B | D | E | F | G | 参考重量 (kg) |
|-----|------|-----|-----|------|-----|-----|-----|----|-----------|
| 300 | 400 | 100 | 300 | 500 | 100 | 280 | 220 | 70 | 165 |
| | 500 | 100 | 300 | 500 | 100 | 220 | 280 | 70 | 200 |
| 350 | 550 | 100 | 350 | 550 | 100 | 220 | 280 | 70 | 255 |
| | 650 | 100 | 350 | 550 | 100 | 220 | 280 | 70 | 295 |
| 400 | 500 | 100 | 400 | 600 | 100 | 220 | 280 | 70 | 265 |
| | 650 | 100 | 400 | 600 | 100 | 220 | 280 | 70 | 325 |
| 450 | 520 | 100 | 450 | 650 | 120 | 220 | 280 | 70 | 310 |
| | 620 | 100 | 450 | 650 | 120 | 220 | 280 | 70 | 360 |
| | 720 | 100 | 450 | 650 | 120 | 220 | 280 | 70 | 410 |
| | 820 | 100 | 450 | 650 | 120 | 260 | 310 | 70 | 460 |
| 500 | 620 | 120 | 500 | 700 | 120 | 260 | 310 | 70 | 512 |
| 600 | 620 | 120 | 600 | 840 | 120 | 260 | 310 | 70 | 590 |
| | 720 | 120 | 600 | 840 | 120 | 260 | 310 | 70 | 670 |
| | 820 | 120 | 600 | 840 | 120 | 260 | 310 | 70 | 750 |
| | 920 | 120 | 600 | 840 | 120 | 420 | 480 | 70 | 830 |
| | 1020 | 120 | 600 | 840 | 120 | 420 | 480 | 70 | 910 |
| | 1120 | 120 | 600 | 840 | 120 | 420 | 480 | 70 | 990 |
| 800 | 800 | 150 | 800 | 1100 | 150 | 500 | 500 | 90 | 1150 |